LG

# LU341H

Now, you can manage your hotel more easily and efficiently with Pro:Centric V series TV models. All guest-room TVs can be configured and/or updated via a centralized management system, and Quick Menu embedded in the TVs provides simpler but essential menus without the need of a server. With this costefficient Pro:Centric V series, save cost and workforce while helping guests have a more comfortable and convenient experience in their hotel room.





### **Pro:Centric V Hotel Management Solution**

Pro:Centric V provides comprehensive solutions in RF infrastructure. Through the Pro:Centric Server and App, hoteliers are able to customize their settings and deliver information on hotel facilities and wake-up call services, weather forecasts and other messages to guests, all while reinforcing the hotel's brand image.

#### Multi Languages

39 languages including Hebrew, Arabic and Farsi, and language alignment are supported, making your guests' stay a more comfortable one.

Basic	&	Easv	Temp	lates

Pro:Centric Application (PCA) provides one Basic & Easy Template. making a total of three templates, that customers can select according to their preference.

### Customizable Template & Page

Choose an alternative look & feel template based on your preference, and edit multiple sections with 40 pages of billboards by yourself with the web based tool. (Max 15pages / section Available)

#### Multi Channel Spooling

Operation of up to 8 hotel channels (22 sub-channels) can offer various information and added services.

<b>0</b> 10		Ter DAVISON
	-1 -	The NEW Lings Lowis 18.16
Putterin	52F	Chief Farrierty MINE Tarrier (1952)
	4:4	
NW Netsuranti		
		6. 100
		and the second s
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	65
	144	STATUS STREET

Right Alignment (Hebrew, Arabic, Farsi)



Left Alignment (36 languages)



Welcome image of PCA





### **Value Added Features**

### New Quick Menu (2.0)

/

You can enjoy LG's simple home menu solution. It provides editable welcome message, date/time and other frequently used menus in the form of bar. These can be all set with a remote control or USB, and guests are able to easily access the menus they want improving satisfaction of their stay.



4 Templates

### Audio Ch

It is an app grouping audio/radio channels in order to controal tunes (not ch. Zapping) and to provide better sound experience.





### External Speaker Out

Enhance the entertainment experience by adding an additional speaker. Guests listen to and control the TV audio from anywhere in the business areas, including restrooms.



### **Hospitality Features**

#### EzManager

/

EzManager provides convenient installation function that helps to set up Pro:Centric TV settings automatically without extra effort of configuration. Auto-installation requires 1~3 minutes while manual installation requires 3~5 minutes.

### **RJP Compatibility**

The product allows guests to connect their portable devices such as laptop to TV inside hotel room and to enjoy various content.

# IR Out

Using the interactive set-top-box, all LG TVs can be controlled with a single remote.







### **Hospitality Features**

#### **Commercial Swivel Stand**

Expand the rage of comfort for the guests with a commercial grade stand by allowing them to watch a TV from any angle.

#### Multi IR

Multi IR function eliminates the remote control signal interference between TVs in multiple dwelling beds. This system will work using the same LG TV model.

#### Welcome Video/Screen

With the capability to display repeatedly various video formats as well as images, Commercial Lite TVs allow for a greater variation of greeting messages in hotel rooms which make customers feel more welcome and cared for.







### Dimensions



### Connectivity



436 441 495

\* Dimensions & Jack Panels (Read/Side) may differ from the above image, so please reach LG salesteam to ensure before order.

Specifi	cations	49LU341H	43LU341H	32LU341H			
DISPLAY	Inch	49"	43"	32"			
	Backlight Type	LED (Direct)	LED (Direct)	LED (Direct)			
	Resolution	1,920 x 1,080 (FHD)	1,920 x 1,080 (FHD)	1,366 x 768 (HD)			
	Brightness (cd/m <sup>2</sup> )	400	400	240			
	Dynamic Contrast Ratio (Dynamic MCI (Hz))	1,000,000:1	1,000,000:1	1,000,000:1			
	Static (Panel) Contrast Ratio	1,100:1	1,200:1	1,200:1			
	Viewing Angle Degree	178 x 178	178 x 178	178 x 178			
	Response Time (G to G, ms)	9	9	9			
BROADCASTING	Analog	• (PAL/SECAM)	• (PAL/SECAM)	(PAL/SECAM)			
SYSTEM	Digital	DVB-T2/C/S2	DVB-T2/C/S2	DVB-T2/C/S2			
	XD Engine	•	•				
VIDEO	Aspect Ratio	• 6 modes (16:9, Original, Full wide, 4:3, Vertical Zoom, All-Direction Zoom)	• 6 modes (16:9, Original, Full wide, 4:3, Vertical Zoom, All-Direction Zoom)	• 6 modes (16:9, Original, Full wide, 4:3, Vertical Zoom, All-Direction Zoom)			
	Audio Output	10 W + 10 W	10 W + 10 W	5 W + 5 W			
	Speaker System	2.0 ch	2.0 ch	2.0 ch			
AUDIO	Sound Mode	• 6 modes (Standard, Cinema, Clear Voice, Sports, Music, Game)	• 6 modes (Standard, Cinema, Clear Voice, Sports, Music, Game)	• 6 modes (Standard, Cinema, Clear Voice, Sports, Music, Game)			
	Clear Voice	(Clear Voice)	(Clear Voice)	(Clear Voice)			
HOSPITALITY	Solution Type	Pro:Centric V, Quick Menu 2.0	Pro:Centric V, Quick Menu 2.0	Pro:Centric V, Quick Menu 2.0			
	Data Streaming (IP &RF)	• (RF Only)	(RF Only)	• (RF Only)			
	RF	• (1 Tuner)	• (1 Tuner)	• (1 Tuner)			
SOLUTION	HCAP (SDK)	GEM / Flash	GEM / Flash	GEM / Flash			
	Pro:Centric Application	PCA 3.8	PCA 3.8	PCA 3.8			
HOSPITALITY FEATURES		Hotel Mode, Lock Mode (Limited), Welcome Video / Screen, Insert Image, One Channel Map, External Speaker Out, RJP Interface, RJP Compatibility, USB Auto playback, Auto Off / Sleep Timer, Smart Energy Saving, Motion Eye Care, Time Scheduler					
	Set Side	HDMI In, USB 2.0, CI Slot, Headphone Out	HDMI In, USB 2.0, CI Slot, Headphone Out	HDMI In, USB 2.0, CI Slot, Headphone Out			
JACK INTERFACE	Set Rear	RF In (2), AV In, Component In (RCA5 Type), Digital Audio Out (Optical), HDMI / HDCP Input, RGB In, PC Audio Input, RS-232C (Control & Service), RJ45, External Speaker Out	RF In (2), AV In, Component In (RCA5 Type), Digital Audio Out (Optical), HDMI / HDCP Input, RGB In, PC Audio Input, RS-232C (Control & Service), RJ45, External Speaker Out	RF In (2), AV In, Component In (RCA5 Type), Digital Audio Out (Optical), HDMI / HDCP Input, RGB In, PC Audio Input, RS-232C (Control & Service), RJ45, External Speaker Out			
DIMENSION (UNIT : MM)	Vesa	300 x 300	200 x 200	200 x 200			
	W x H x D / Weight (with stand)	1,110 x 705 x 303 / 14.5kg	977 x 630 x 80.8 / 11.2kg	739 x 495 x 241 / 6.05kg			
	W x H x D / Weight (without stand)	1,110 x 650 x 81.1 / 11.3kg	977 x 575 x 80.8 / 8.0kg	739 x 441 x 84 / 4.85kg			
	W x H x D / Weight (Packing)	1,296 x 770 x 171 / 17.2kg	1,147 x 660 x 175 / 13.9kg	905 x 530 x 162 / 7.35kg			
POWER (UNIT : WATTS)	Voltage, Hz	100 ~ 240V, 50/60Hz	100 ~ 240V, 50/60Hz	100 ~ 240V, 50/60Hz			
	Max	110	97	60			
	Typical	68	59	36			
	Energy Saving (Min/Med/Max)	50.6 / 35.1 / 18.0	44.8 / 32.1 / 17.9	28 / 20.8 / 12.9			
	Stand-by	0.5W↓	0.5W↓	0.5W↓			

\* Specifications are subject to change without notice, so please reach LG salesteam to ensure before order.





🕞 www.lg.com/b2b

youtube.com/c/LGECommercialDisplay https://www.facebook.com/LGInformationDisplay/

in https://www.linkedin.com/company-beta/16235211/

LG may make changes to specifications and product descriptions without notice. Copyright © 2018 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. The names of products and brands mentioned here may be the trademarks of their respective owners.

